POLY-TEX
Greenhouse & Display Systems

OUR BUSINESS IS
HELPING YOU *grow*

Fall/Winter
CATALOG 2025

Commercial Greenhouses | High Tunnels | Shade Structures | Displays | Retail Greenhouses

POLY-TEX
Greenhouse & Display Systems

Product Information 3
Seasonal Retail Greenhouses 4–10
Cart Corrals 11
Plant Displays 12-29
Display Accessories 30-31
Benches 32-33
Shade Systems 34–38
Shade Cloth/Covering. 39
Commercial Greenhouses 40-43
High Tunnels 44-49
Ventilation Systems 50-52
Greenhouse Accessories 53-54
Order Information. 55

Product Information Icons

When you see this icon, you'll know that this product assembles without any tools needed.

This symbol lets you know that this product and its components are manufactured in the United States of America.

Products with this icon let you know that they are part of our modular Evolutions© benching system.

For more product information, visit our Web site **POLY-TEX.COM**

Or email questions to **info@poly-tex.com**

GARDEN MART®

This structure was designed with the three E's in mind—Ease, Economy, and Efficiency. The ease of our tool-free snap button design allows for simplified set-up in just hours. Economically, you'll benefit from this structure's convenient ventilation options and built-in display benching, which allows for greater merchandising of flats and hanging baskets. Easy expansion options ensure you can efficiently upgrade your operation at any time.

FEATURES

Polyethylene Film Choices: Choose from white or clear poly film with Wiggle Wire® attachment system.

Hold Down System Selection: We have an option to suit your needs; choose from water tubes, ground stakes or leg stands.

Side Benching Brackets Included: Structure comes complete with side display brackets ready for optional bench tops so you can simply assemble and sell.

Hanging Basket Purlins: Structure comes with four runs of hanging basket purlins and attractively displays baskets conveniently within your customer's reach.

Double Sliding End Door: Space saving double sliding door measures six feet wide and provides ample room for customer and cart access.

Center Benching: Select from our Flat Stacker or Tiered Display.

Ventilation Options: Your selection of Slide-Side or Roll-up Side ventilation; both allow you to easily control the climate of your structure; Slide-Side Ventilation is constructed of 8mm commercial grade polycarbonate sheeting; Roll-up Sidewall Vents include a self-locking gearbox.



SPECIFICATIONS

Width: 21'
Length: 24'–96' (in 6' sections)
Sidewall Height: 6'
Height to Apex: 11'- 4"
Frame Spacing: 6'
Door: (2) 3' wide x 6'- 8" high
Cover: Clear or white 6 mil. UVI treated polyethylene
End Wall Cover: Clear 6 mil. UVI treated polyethylene
Frame: 2" O.D. 14 ga. galvanized steel tubing
Ventilation: Slide-Side or Roll-Up sides

For more information and pricing visit **www.poly-tex.com**

Garden Mart Base Package Includes:

- 2" O.D. 14 ga. galvanized snap-button frame with wind braces
- (4) full-length runs of hanging basket purlins
- Integrated center & side bench support brackets
- Wiggle Wire poly fastenings system
- Clear or white single layer 6mil roof and end wall polyethylene
- Slide-Side or Roll-up Side ventilation
- (1) set of double sliding end doors
- Assembly hardware and instructions.

CHOOSE INCLUDED CENTER BENCH BRACKET STYLE

Flat Stacker Center Bracket Configuration

OR

Tiered Center Bracket Configuration

Choice of Roll-up or Slide-Side Ventilation Included

Choose from sliding side walls made from 8mm commercial grade polycarbonate sheeting or optional roll-up polyethylene film sides with self-locking gearbox to control air flow.

ADD A BENCHTOP PACKAGE FOR READY-TO-SHOP INTEGRATED DISPLAYS

Standard Bench Package: Great for displaying flats! Includes: Two-tier arrangement roll-form bench tops for the sides of your greenhouse and your choice of either tiered or flat stacker style roll-form bench tops for the center.

OR

Expanded Metal Bench Package: Display flats as well as smaller items that aren't in a tray. Includes: Two-tier arrangement expanded metal bench tops for the sides and your choice of tiered or flat stacker expanded metal bench tops for the center.

ADD-ONS

Additional Side Door
Add a side door to your structure for improved traffic flow and customer access between garden center areas.

Additional End Door
Add an end door to your structure for improved traffic flow and ventilation.

Snap Button Design

Simple and strong.
Our snap button connection system, decreases your set-up time and provides added strength.

Please call **800-852-3443** for additional sizes, configurations, and pricing.

BENCH-MART SR®

The perfect size to begin selling live goods, the Bench-Mart SR is designed to sell an enormous amount of product without disrupting traffic flow in your parking lot. The 17' width usually fits in the length of just one parking space (about 18'). Easy, snap button assembly and great features will have you up and in top selling shape in no time!

FEATURES

Polyethylene Film Choices: Choose from white or clear poly film with Wiggle Wire® attachment system.

Hold Down System Selection: Choose from water tubes or spikes for secure structure placement.

Center and Side Benching Included: Built-in side and center display brackets and standard bench tops ensure you can start selling quickly.

Hanging Basket Purlins: Structure comes with four runs of hanging basket purlins and attractively displays baskets conveniently within your customer's reach.

Double Sliding End Door: Space saving sliding door measures six feet wide and provides ample room for customer and cart access.

Slide-Side Ventilation: Constructed of 8mm commercial grade polycarbonate sheeting, our Slide-Side Ventilation helps you easily control the climate and airflow of your structure.

made in USA

Tool Free

SPECIFICATIONS

Width: 17'
Length: 24'–96' (in 6' sections)
Sidewall Height: 6'
Height to Apex: 10'- 6"
Frame Spacing: 6'
Door: (2) 3' wide x 6'- 8" high
Cover: Clear or white 6 mil. UVI treated polyethylene
End Wall Cover: Clear 6 mil. UVI treated polyethylene
Frame: 1.66" O.D. 16 ga. galvanized steel tubing
Ventilation: Slide-Side



For more information and pricing visit **www.poly-tex.com**

Bench-Mart SR Base Package Includes:

- 1.66" O.D. 16 ga. galvanized snap-button frame with wind braces
- (4) full-length runs of hanging basket purlins
- Integrated center & side bench support brackets **with standard bench tops included**
- Wiggle Wire poly fastenings system
- Clear or white single layer UVI treated 6mil roof and end wall polyethylene
- Slide-Side ventilation
- (1) set of double sliding end doors
- Water tube or spike hold down system
- Assembly hardware and instructions.

FLAT STACKER CENTER BENCH BRACKET STYLE WITH STANDARD BENCH TOPS INCLUDED

Flat Stacker Center Bracket Configuration

+

Standard Bench Tops

Slide-Side Ventilation Included

Sliding side walls made from 8mm commercial grade polycarbonate sheeting to control air flow.

OPTIONAL UPGRADED BENCH TOP PACKAGE

Expanded Metal Bench Package: Perfect for displaying flats as well as hard goods or smaller items that aren't in a tray. Includes two-tier arrangement expanded metal bench tops for the sides and your choice of tiered or flat stacker expanded metal bench tops for the center.

Snap Button Design

Simple and strong.
Our snap button connection system, decreases your set-up time and provides added strength.

BENCH-MART SR ADDITIONS

Additional Side Door:
Add a side door to your structure for improved traffic flow and customer access between garden center areas.

Additional End Door
Add an end door to your structure for improved traffic flow and ventilation.

Please call **800-852-3443** for additional sizes, configurations, and pricing.

KOOL-MART

The Kool-Mart is one of our most economical structures yet it still offers the same quality construction, snap button set-up, and high-volume display benching as our other seasonal retail greenhouses. It also features large roll-up doors on both ends for easy cart access and superior ventilation. Go from zero to garden center in just hours with the simple elegance of the Kool-Mart.

FEATURES

Polyethylene Film Choices: Choose from white or clear poly film with Wiggle Wire® attachment system.

Hold Down System: Easily installed spikes ensure secure structure placement.

Center and Side Benching Brackets Included: Side and center display brackets and optional bench tops ensure you can start selling quickly.

Hanging Basket Purlins: Structure comes with six runs of hanging basket purlins and attractively displays baskets conveniently within your customer's reach.

Front and Rear Roll-Up End Doors: Space saving, maintenance free, roll-up doors are ten feet wide and provide ample access for customers and carts.

Modular Design: Allows you to easily and economically expand this structure.

Ventilation: Optional roll-up sidewall vents with self-locking gear box, provide a natural, simple, and effective way to control climate and airflow of your structure.

SPECIFICATIONS

Width: 20'
Length: 24'–96' (in 6' sections)
Height to Apex: 10'
Frame Spacing: 6'
Door: (2) 10' wide x 7' high white, 3-ply reinforced polyethylene roll-up doors
Cover: Clear or white 6 mil. UVI treated polyethylene
End Wall Cover: Clear 6 mil. UVI treated polyethylene
Frame: 1.66" O.D. 16 ga. galvanized steel tubing



For more information and pricing visit **www.poly-tex.com**

Kool-Mart Base Package Includes:

- 1.66" O.D. 16 ga. galvanized snap-button frame with wind braces
- (6) full-length runs of hanging basket purlins
- Integrated center & side bench support brackets
- Wiggle Wire poly fastenings system
- Clear or white single layer UVI treated 6mil roof and end wall polyethylene
- (2) 10' wide roll-up end doors
- Water tube or spike hold down system
- Assembly hardware and instructions.

Snap Button Design

Simple and strong. Our snap button connection system, decreases your set-up time and provides added strength.

Optional Ventilation Package

Roll-Up Sidewall vent package with self-locking gearbox will provide greater control or airflow.

ADD A BENCHTOP PACKAGE FOR READY-TO-SHOP INTEGRATED DISPLAYS

Standard Bench Package: Great for displaying flats! Includes: Two-tier arrangement roll-form bench tops for the sides of your greenhouse and your choice of either tiered or flat stacker style roll-form bench tops for the center.

OR

Expanded Metal Bench Package: Display flats as well as smaller items that aren't in a tray. Includes: Two-tier arrangement expanded metal bench tops for the sides and your choice of tiered or flat stacker expanded metal bench tops for the center.

KOOL-MART ADDITIONS

Sliding End Doors: Upgrade from roll-up front and end doors to these easily installed sliding doors.

Roll-Up Sidewall Vents Optional roll-up sidewall vents with self-locking gearbox will provide even greater control of airflow.

made in USA

ACCESSORIES

Additional items to round out your garden center:

Additional displays benches: **see page 12.**

Mulch and Rock Display **see page 25.**

Paver Display **see page 25.**

Please call **800-852-3443** for additional sizes, configurations, and pricing.

EZ-MART

Introducing the all new EZ-Mart! The perfect size for the small to medium garden retailer, this retail greenhouse includes: integrated expanded metal bench tops, Slide-Side ventilation for temperature control, and a swinging door with latch. It also features tool-free assembly so set-up is a snap!

FEATURES/OPTIONS

Side Benching Included: Built-in side brackets and 3 tiers of expanded metal bench tops ensure quick merchandising.

Hanging Basket Purlins: Structure comes with two runs of hanging basket purlins and attractively displays baskets conveniently within your customer's reach.

Latching End Door: Single swinging door with latch and open door catch.

Slide-Side Ventilation: An easy manner to provide climate control and air flow for your customers and plants.



SPECIFICATIONS

Width: 10'- 2"
Length: 6'- 24'
Sidewall Height: 6'
Height to Apex: 8'- 10"
Frame Spacing: 6'
Door: Single 42" wide x 6'- 8" high
Ventilation: Slide-Side
Cover: White 6 mil. UVI polyethylene
End Wall Cover: Clear 6 mil. UVI polyethylene
Frame: 1.25" O.D. 14 ga. sq. galvanized steel tube frame and 18 ga. galvanized steel roll-form

Expanded Metal Bench Tops: These bench tops allow you to increase your merchandising options to include smaller products, **see page 32.**

Additional End Door: Add an end door to your structure for improved traffic flow and customer access between garden center areas.

Tool Free

made in USA

For more information and pricing visit **www.poly-tex.com**

Where is the checkout? Don't leave your customers wondering or wandering. Help them find their way with this attractive Checkout Center. A perfect complement to any outdoor retail location, the Checkout Center will reduce customer frustration and improve traffic flow by conveniently pointing them in the right direction.

Optional full roll-up side and end panels give you even more control over the elements and make this structure great for other outdoor events, too. Fun color options only add to the festivities. (Roof, side skirts, and gable peaks included).

Shown in Kelly Green with optional end and side roll-ups

SPECIFICATIONS

Width: 12'
Length: 12'
Sidewall Height: 6' 10"
Height to Apex: 10' 4"

Frame Spacing: 6'
Cover: 13 oz. vinyl laminate fabric in red, blue, green, or yellow stripe or Kelly Green solid
Frame: 2" O.D. 14 ga. and 1.66" O.D. 16 ga. galvanized steel tubing
Hold-Down: Concrete blocks (not included)

CASHIER TABLES

This check-out essential is constructed of 18 gauge galvanized steel for sleek styling and easy cleanup. Purchase the tables together for an L-shaped configuration that promotes smooth traffic flow and customer convenience, or choose individual tables to fit the size and needs of your location.

CH8100 shown with drawer
(cash register not included)

PX7003 Configurations	
Part #	Description
CH8100	Cashier Table "L" Assembly - galvanized
CH8000	Cashier Table 24" x 72" - galvanized
CH8001	Cashier Table 24" x 36" - galvanized
CH8023	Drawer for Cashier Table - galvanized

CART CORRALS AND SIGNAGE

Having conveniently located cart corrals offers your customers a professional finishing touch to their shopping experience. Our Cart Corral sets up quickly and is available in single or double bays and single or double sides, in 10', 12' or 14' lengths. We can also assist you with your signage needs.

Cart Corral	
Part #	Description
CC3610	Cart Corral Single Lane - 10'
CC7210	Cart Corral Double Lane - 10'
CC3620	Cart Corral 2-Way Single Lane - 20'
CC7220	Cart Corral 2-Way Double Lane - 20'
CC3612	Cart Corral Single Lane - 12'
CC7212	Cart Corral Double Lane - 12'
CC3624	Cart Corral 2-Way Single Lane - 24'
CC7224	Cart Corral 2-Way Double Lane - 24'
CC3614	Cart Corral Single Lane - 14'
CC7214	Cart Corral Double Lane - 14'
CC3628	Cart Corral 2-Way Single Lane - 28'
CC7228	Cart Corral 2-Way Double Lane - 28'
CC3600	Cart Corral Sign Holder (Single) Kit
CC7200	Cart Corral Sign Holder (Double) Kit

Snap Button Design

Simple and strong.
Our snap button connection system, decreases your set-up time and provides added strength.

Cart Corral Double Lane

Cart Corral 2-Way Double Lane

Purple Hydrangea Sign	
Part #	Description
CC1102	18" x 32" 1- Sided Sign
CC1102-2	18" x 32" 2- Sided Sign
CC1202	23" x 68" 1- Sided Sign
CC1202-2	23" x 68" 2- Sided Sign

Red Daisy Sign	
Part #	Description
CC1101	18" x 32" 1- Sided Sign
CC1101-2	18" x 32" 2- Sided Sign
CC1201	23" x 68" 1- Sided Sign
CC1201-2	23" x 68" 2- Sided Sign

Tan Cart Sign	
Part #	Description
CC1100	18" x 32" 1- Sided Sign
CC1100-2	18" x 32" 2- Sided Sign
CC1200	23" x 68" 1- Sided Sign
CC1200-2	23" x 68" 2- Sided Sign

Add Your Logo Sign	
Part #	Description
CC1103	18" x 32" 1- Sided Sign
CC1103-2	18" x 32" 2- Sided Sign
CC1203	23" x 68" 1- Sided Sign
CC1203-2	23" x 68" 2- Sided Sign

For more information and pricing visit **www.poly-tex.com**

TREE DISPLAY

The Tree Display is your helping hand if you sell potted trees. Retainer arms hold the trunk securely to prevent blown-over trees, broken limbs, and leaf loss. Adjustable arms in two sizes accommodate a variety of tree and pot sizes to match your product mix. Orange flip gates allow easy access for your customers and quick re-stocking for you. Options include a sign holder and extension kits to create a connected run.

made in USA

SPECIFICATIONS

Construction: Galvanized steel
Capacity: 12 or 16 trees per 10-foot section
Base Dimensions: 4' - 5" x 10'

Tree Display		
Part #	Description	
TR3020	Tree Display Single	(2) Ends (1) Support Beam (4) 26" Retainer Arms (4) 16" Retainer Arms and Hardware
TR3021	Tree Display Adder Single	(1) End (1) Support Beam (4) 26" Retainer Arms (4) 16" Retainer Arms and Hardware
TR3042	Tree Display Double - 42"	(2) Ends (1) Center Beam (6) 42" Retainer Arms and Hardware
TR3030	Tree Display Double - 30"	(2) Ends (1) Center Beam (6) 30" Retainer Arms and Hardware
TR3043	Tree Display Single Extention - 42"	(1) End (1) Center Beam (6) 42" Retainer Arms and Hardware
TR3031	Tree Display Single Extention - 30"	(1) End (1) Center Beam (6) 30" Retainer Arms and Hardware
TR3041	Tree Display Sign	11" x 7" with retaining clip

FENCE-ON-A-STEP BENCH®

PX7001

The PX7001 display offers lots of space in a semi-tiered design. With several configurations, you'll find just the one to suit your needs. Use as a freestanding display, back-to-back as a center aisle, or connected in a run of any length.

PX7001
Base bench model

nted

PX7001-CP

evolutions
MODULAR DISPLAY SYSTEM

Tool Free

made in USA

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (27) 1020-style flats per 6-foot section
Base Dimensions: 73.25"w x 37.5"d x 44.5"h

PX7001 Configurations	
Part #	Description
PX7001	Single unit w/expanded metal (standard)
PX7001-P	Single unit w/Double Purlin
PX7001-S	Single unit w/Sign Holder
PX7001-C	Single unit w/Casters
PX7001-CP	Single unit w/Casters + Purlin
PX7001-CS	Single unit w/Casters + Sign Holder
PX7001-XT6	6' Extension for single unit
PX7001-XT6P	6' Extension for Single Unit w/Purlin
PX7001-XT6S	6' Extension for Single Unit w/Sign Holder

*Splitting connected runs may require additional components. Call for more information.

NEW FEATURE!

Double Hanging Basket Purlin
The purlin available for this display is now a double purlin- twice the baskets in the same footprint!

Ask about our new 4' versions on several of our Evolutions displays

STEP DISPLAY

PX7003

The perfect double-sided display the PX7003 can stand alone as an island or connect in a run to create aisles that can be shopped from both sides. It includes “stepped” bench tops on either side and a large center area-all with expanded metal bench tops for items large or small.

PX7003

PX7003
Base bench model

made in USA

Tool Free

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (24) 1020-style flats per 6-foot section
Base Dimensions: 73.25”w x 69.75”d x 30”h

Ask about our new 4’ versions on several of our Evolutions displays

PX7003 Configurations	
Part #	Description
PX7003	Single unit w/expanded metal (standard)
PX7003-12	12' Connected unit
PX7003-18	18' Connected unit
PX7003-24	24' Connected unit
PX7003-XT6	6' Extension for Single Unit

*Splitting connected runs may require additional components. Call for more information.

EXPAND YOUR DISPLAYS

Buy the Extension Kit for any Evolutions model to create connected runs of displays.



Please call **800-852-3443** for additional sizes, configurations, and pricing.

TALL 3 LEVEL DISPLAY

PX7026

Dream big and let your taller merchandise reach for the sky with the PX7026. This commanding display captures your customer's attention with an overall height of 71 inches—2' between each tier! Of course, you'll enjoy our galvanized steel construction and tool-free assembly, but this display also includes a standard sign holder for your pricing information.

PX7026 Configurations	
Part #	Description
PX7026-S	Single unit w/expanded metal (standard) + Sign holder
PX7026-S12	12' Connected unit
PX7026-S18	18' Connected unit
PX7026-S24	24' Connected unit
PX7026-XT6S	6' Extension for Single 6' Unit + Sign holder

*Splitting connected runs may require additional components. Call for more information.

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (15) 1020-style flats per 6-foot section
Base Dimensions: 73.25"w x 32"d x 71.33"h

PX7026-S

TALL BENCH DISPLAY

Tool Free

made in USA

PX7027

The new PX7027 Tall Bench Display offers nearly 30" between bench tops for your taller items and an optional double hanging basket purlin for additional display space. Extra deep expanded metal bench tops allow you to place more of the larger pots associated with your taller items.

PX7026 Configurations	
Part #	Description
PX7027	6' Single unit w/expanded metal (standard)
PX7027-12	12' Connected unit
PX7027-18	18' Connected unit
PX7027-24	24' Connected unit
PX7027-P	6' Single unit w/expanded metal (standard) + Purlin
PX7027-P12	12' Connected unit + Purlin
PX7027-P18	18' Connected unit + Purlin
PX7027-P24	24' Connected unit + Purlin
PX7027-XT6	6' Extension for Single 6' Unit
PX7027-XT6P	6' Extension for Single 6' Unit + Purlin

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (18) 1020-style flats per 6-foot section
Optional double purlin holds (12) 10-inch hanging baskets per 6-foot section
Base Dimensions: 73.25"w x 37.25"d x 44.5"h

PX7027-P



PX7006-C

patented

BENCH DISPLAY

PX7006

Basic, sturdy, expandable—those are the necessary requirements for any display unit, and you'll certainly find them with our PX7006. You can add casters, cross-merchandisers or powder coating to customize this display or connect multiple benching sections to create a connected run to fit your space.

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (18) 1020-style flats per 6-foot section
Base Dimensions: 73.25"w x 37.5"d x 30"h

PX7006 Configurations	
Part #	**Description**
PX7006	Single unit w/expanded metal (standard)
PX7006-C	Single unit w/expanded metal (standard) + Casters
PX7006-XT6	6' Extension for Single Unit w/expanded metal (standard)

*Splitting connected runs may require additional components. Call for more information.

PX7006
Base bench model

made in USA

Tool Free

EXPAND YOUR DISPLAYS

Buy the Extension Kit for any Evolutions model to create connected runs of displays.



DOUBLE BENCH DISPLAYS

Hold it ALL with these high-capacity display units meant to be shopped from both sides. All three feature tool-free assembly, galvanized steel construction, and our patented shared end support system for extended runs. With three depths to choose from, you have the flexibility to design aisles that fit within your given space. Choose the “Y” purlin configurations and you’ll gain an impressive 24 feet for hanging baskets per 6’ display.

PX7024-P

patented

PX7023-S

patented

made in USA

Tool Free

EXPAND YOUR DISPLAYS

Buy the Extension Kit for any Evolutions model to create connected runs of displays.

PX7022

patented

PX7023
Base bench model

PX7023 Configurations	
Part #	Description
PX7023	3' unit w/expanded metal (standard)
PX7023-S	3' unit w/expanded metal (standard) + Sign holder
PX7023-P	3' unit w/expanded metal (standard) + Purlin
PX7023-XT6	6' Extension for Single 3' Unit
PX7023-XT6P	6' Extension for 3' Unit w/ Purlin
PX7023-XT6S	6' Extension for Single 3' Unit + Sign holder

*Splitting connected runs may require additional components. Call for more information.

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (24) 1020-style flats per 6-foot section
Optional 47.5" high basket purlin holds (24) 10-inch hanging baskets
Base Dimensions: 73.25"w x 41.5"d x 30"h

PX7022
Base bench model

PX7022 Configurations	
Part #	Description
PX7022	4' unit w/expanded metal (standard)
PX7022-S	4' unit w/expanded metal (standard) + Sign holder
PX7022-P	4' unit w/expanded metal (standard) + Purlin
PX7022-XT6	6' Extension for Single 4' Unit
PX7022-XT6P	6' Extension for 4' Unit w/ Purlin
PX7022-XT6S	6' Extension for Single 4' Unit + Sign holder

*Splitting connected runs may require additional components. Call for more information.

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (24) 1020-style flats per 6-foot section
Optional 47.5" high basket purlin holds (24) 10-inch hanging baskets
Base Dimensions: 73.25"w x 50.25"d x 30"h

PX7024
Base bench model

PX7024 Configurations	
Part #	Description
PX7024	6' unit w/expanded metal (standard)
PX7024-S	6' unit w/expanded metal (standard) + Sign holder
PX7024-P	6' unit w/expanded metal (standard) + Purlin
PX7024-XT6	6' Extension for Single 6' Unit
PX7024-XT6P	6' Extension for 6' Unit w/ Purlin
PX7024-XT6S	6' Extension for Single 6' Unit + Sign holder

*Splitting connected runs may require additional components. Call for more information.

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (36) 1020-style flats per 6-foot section
Optional 47.5" high basket purlin holds (24) 10-inch hanging baskets
Base Dimensions: 73.25"w x 73.5"d x 30"h

Ask about our new 4' versions on several of our Evolutions displays

DON'T FORGET YOUR SIGNAGE

Bedding Plant Sign Holder w/Base
see page 31.

Clip Sign Holders
see page 31.

Pallet Sign Holders
see page 30.



E-Z Sign Holders
see page 31.

Please call **800-852-3443** for additional sizes, configurations, and pricing.

TRI-STEP DISPLAY

PX7020

A little variety can make a big difference. That's why we offer our PX7020 display. Shelf depth reduces gradually from 36 to 24 to 18 inches for improved product placement and visual appeal. Options like hanging basket purlins, casters, sign holder and powder coating allow for even greater visual range.

made in USA

Tool Free

Double Hanging Basket Purlin
The purlin available for this display is now a double purlin-twice the baskets in the same footprint!

PX7020-CP patented

PX7020
Base bench model

PX7020 Configurations	
Part #	Description
PX7020	Single unit w/expanded metal (standard)
PX7020-P	Single unit w/Double Purlin
PX7020-S	Single unit w/Sign Holder
PX7020-C	Single unit w/Casters
PX7020-CP	Single unit w/Casters + Purlin
PX7020-CS	Single unit w/Casters + Sign Holder
PX7020-XT6	6' Extension for single unit
PX7020-XT6P	6' Extension for Single Unit w/Purlin
PX7020-XT6S	6' Extension for Single Unit w/Sign Holder

*Splitting connected runs may require additional components. Call for more information.

PX7020-CS

Construction: Galvanized steel
Capacity: (24) 1020-style flats per 6-foot section
Optional 47.5" high double purlin holds (12) 10-inch hanging baskets per 6-foot section
Base Dimensions: 73.25"w x 40"d x 44.5"h

Ask about our new 4' versions on several of our Evolutions displays

For more information and pricing visit **www.poly-tex.com**

DOUBLE TRI-STEP DISPLAY

PX7021

Featuring the same “stepped” shelf depth (from 36 to 24 to 18 inches), this unit gives you all the visual appeal of our Tri-Step display... times two, and our patented shared end support connecting system allows you to create aisles of color. You’ll appreciate our tool-free assembly and galvanized steel construction. Choose a configuration with double hanging basket purlins for more display space or the double-sided 7” sign holder for an easy signage option.

made in USA

Tool Free

PX7021-P

patented

PX7021 Configurations	
Part #	Description
PX7021	Single unit w/expanded metal (standard)
PX7021-S	Single unit w/expanded metal (standard) + Sign holder
PX7021-P	Single unit w/expanded metal (standard) + Purlin
PX7021-XT6	6' Extension for Single 6' Unit
PX7021-XT6P	6' Extension for 6' Unit w/ Purlin
PX7021-XT6S	6' Extension for Single 6' Unit + Sign holder

*Splitting connected runs may require additional components. Call for more information.

PX7021
Base bench model

PX7021-S

SPECIFICATIONS

Construction: Galvanized steel

Capacity: (48) 1020-style flats per 6-foot section
Optional 48” high double basket purlin holds (24) 10-inch hanging baskets

Base Dimensions: 73.25”w x 75.5”d x 44.5”h

Ask about our new 4’ versions on several of our Evolutions displays

2 & 3-TIER DISPLAYS

PX7030 & PX7032 Step it up with our tiered units featuring a narrower profile for tight spaces or sidewalk display areas-now available with hanging basket purlins! Choose from 2 or 3-tiered units with several configurations and options including purlins, casters, sign holders or cross merchandisers. More merchandise in a smaller footprint!

PX7030-CP

patented

Now with Hanging Basket Purlins!

made in USA

Tool Free

PX7032-CP

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (12) 1020-style flats per 6-foot section
Base Dimensions: 73.25”w x 27.5”d x 30”h

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (21) 1020-style flats per 6-foot section
Base Dimensions: 73.25”w x 40.5”d x 44.5“h

PX7030 Configurations	
Part #	Description
PX7030	6' Single unit w/expanded metal (standard)
PX7030-CP	6' Single unit w/Casters + Purlin
PX7030-P	6' Single unit w/Purlin
PX7030-XT6	6' Extension for Single 6' Unit
PX7030-XT6P	6' Extension for 6' Unit w/ Purlin
PX7030-XT6S	6' Extension for Single 6' Unit + Sign holder

PX7032 Configurations	
Part #	Description
PX7032	Single unit w/expanded metal (standard)
PX7032-CP	Single unit w/Casters + Purlin
PX7032-P	Single unit w/Purlin
PX7032-XT6	6' Extension for Single 6' Unit
PX7032-XT6P	6' Extension for 6' Unit w/ Purlin
PX7032-XT6S	6' Extension for Single 6' Unit + Sign holder

*Splitting connected runs may require additional components. Call for more information.

EXPAND YOUR DISPLAYS

Buy the Extension Kit for any Evolutions model to create connected runs of displays.

HALF A-FRAME DISPLAY

PX7040

Utilize the full potential of a bare wall or fence with this cleverly designed Half A-frame display. You can also place this unit back to back for a quickly assembled center aisle, and our patented shared end support system means your expansion options just go on and on. Great sales, great set-up—a winning combination for your merchandise.

PX7040-P

patented

SPECIFICATIONS

Double Hanging Basket Purlins!

Construction: Galvanized steel with expanded metal bench tops

Capacity: (18) 1020-style flats per 6-foot section

Optional 47.5" high purlin holds (12) 10-inch hanging baskets per 6-foot section

Base Dimensions: 73.25"w x 41.25"d x 44.5"h

PX7040 Configurations	
Part #	Description
PX7040	Single unit w/expanded metal (standard)
PX7040-S	Single unit w/expanded metal (standard) + Sign holder
PX7040-P	Single unit w/expanded metal (standard) + Purlin
PX7040-XT6	6' Extension for Single 6' Unit
PX7040-XT6P	6' Extension for 6' Unit w/ Purlin
PX7040-XT6S	6' Extension for Single 6' Unit + Sign holder

*Splitting connected runs may require additional components. Call for more information.

FLAT MATE DISPLAY

PX7025

Conserve your space with the narrow profile of this model (just 26 inches deep), yet still accommodate 15 flats of product! Enjoy our other display features as well, like galvanized steel construction, shared end support for easy run addition and a full array of options to suit your needs.

PX7025-CP

SPECIFICATIONS

Construction: Galvanized steel

Capacity: (15) 1020-style flats per 6-foot section

Optional 39.25” high single basket purlin holds (6) 10-inch hanging baskets

Base Dimensions: 73.25"w x 26.5"d x 44.5"h

PX7025 Configurations	
Part #	Description
PX7025	Single unit w/expanded metal (standard)
PX7025-C	Single unit w/Casters
PX7025-P	Single unit w/Purlin
PX7025-S	Single unit w/Sign holder
PX7025-CP	Single unit w/Casters + Purlin
PX7025-CS	Single unit w/Casters + Sign holder

Please call **800-852-3443** for additional sizes, configurations, and pricing.

END CAP DISPLAYS

Two (2) EC7001 units with casters shown with one (1) PX7001 with casters

Two (2) EC7020 units shown with one (1) PX7021 double tri-step display

made in USA

Our new end caps for the Evolutions series are configured to match up with their corresponding display! They still feature expanded metal benchtops, galvanized steel construction for strength and durability and are now also available with optional casters. Use them by themselves in many configurations or with displays to feature and merchandise your product. End caps are also great for sale items or as a focal point from which you can attach signage.

PX7030 Configurations	
Part #	Description
EC7001	End cap for PX7001
EC7003	End cap for PX7003
EC7006	End cap for PX7006
EC7020	End cap for PX7020
EC7022	End Cap for PX7022
EC7025	End Cap for PX7025
EC7030	End Cap for PX7030
EC7032	End Cap for PX7032
EC7040	End Cap for PX7040

(2) EC7030

EC7020

EC7001

as shown with optional casters

EC7030

EC7020
as shown with optional casters

evolutions
MODULAR DISPLAY SYSTEM

Options

Casters

Set of 3 swivel-locking casters

For more information and pricing visit **www.poly-tex.com**

PAVER DISPLAY

PD3006 & PD3050

We're paving the way for increased sales with our attractive landscape paver display unit. Provide your customers with a convenient shopping experience when you purchase this easy-to-browse display. Welded supports and 2" galvanized steel construction ensure this unit can hold a heavy load. Choose our optional sign holder to provide ideas and inspiration to your clients as well as to create timely messaging, adding even more value to your display.

PD3006 shown with optional sign holder

Product and signs not included

PD3006 & PD3050 Paver Displays	
Part #	Size
PD3006	72"w x 43"d x 74"h
PD3006-S	72"w x 43"d x 115"h
PD3050	52½"w x 42⅝"d x 74"h
PD3050-S	52½"w x 42⅝"d x 104"h

SPECIFICATIONS

Construction: Galvanized steel
Base Dimensions: (PD3006) 72"w x 43"d x 74"h
Base Dimensions: (PD3050) 52½"w x 42⅝"d x 74"h

MULCH & ROCK DISPLAY

MD3000

Showcase a variety of mulch, soils, decorative landscape rock, bulbs and other bulk goods in divided bins. The sturdy, galvanized steel frame and bins come standard with a dark grey textured powder coating. Setup is quick and requires no tools. It is perfect for indoor displays, as well as outside. Choose up to five bins and then add dividers to best suit your product mix.

bin plus 1 divider

bin plus 2 dividers

bin plus 3 dividers

MD3005 Display

Mulch & Rock Display	
Part#	Description
MD3005	1 Frame w/signholder, 5 Bins, 7 Dividers
MD3000	24"w x 24"d x 72"h Frame Only
MD1012	Compartment Bin
MD1007	Divider

SPECIFICATIONS

Construction: Powder coated galvanized steel
Base Dimensions: 24"w x 24"d x 72"h

made in USA

BW3000

BASKET WAVE

Caution: curves ahead! Enhance your garden center's flow with the new basket wave. This high capacity display provides an elegant way to showcase your hanging baskets in an easy-to-shop wall of color. Start with the 12-foot base unit and easily add 6-foot sections to create an endless sweep of color. Available with 3 purlins for small/medium baskets or 2 purlins for larger hanging items.

Basket Wave	
Part #	Size
BW3000 (3 Purlins)	150"w x 79"d x 78"h
BW3003 (2 Purlins)	150"w x 79"d x 78"h

SPECIFICATIONS

Construction: Galvanized steel
Base Dimensions: 150"w x 79"d x 78"h



BW3003

BASKET TOWER

BT3000

This fun way to showcase your hanging baskets and other hanging merchandise, such as wind chimes and bird houses/feeders, is sure to be on your wish list for spring sales. Think vertical merchandising that can be shopped from any side. Imagine a tower of hanging baskets or a whorl of wind chimes!

Basket Tower	
Part #	Size
BT3000	46"w x 46"d x 90"h

SPECIFICATIONS

Construction: Galvanized steel
Base Dimensions: 46"w x 46"d x 90"h



BH3000

This year-round fixture allows for optimal lighting exposure for your hanging baskets and it also gives you a place to create showy seasonal displays. Spring, summer and fall plants are placed easily within your customer's reach and our optional wreath kit allows for high-capacity holiday merchandising.

Basket Hanger	
Part #	Description
BH3000	Basket Hanger
BH3000-C	Basket Hanger w/Casters
BH3000-WK	Basket Hanger w/Wreath Kit
BH3000-CWK	Basket Hanger w/Casters & Wreath Kit

SPECIFICATIONS

Construction: Galvanized steel
Capacity: (24) 10-inch hanging baskets
Optional wreath kit holds (78) 24-inch wreaths
Base Dimensions: 72"w x 73"d x 82"h (Add 6" height for casters)

made in USA

Tool Free

OPTIONS

Casters	Wreath Kit
Set of 4 swivel-locking casters	

BH4000

Respond quickly to inclement weather or move product indoors for safe keeping with our BH4000 Narrow Basket Hanger display. Designed for mobility, this unit comes standard with casters and rolls easily through a 36-inch door frame.

Narrow Basket Hanger	
Part #	Description
BH4000	Narrow Basket Hanger
BH4000-WK	Narrow Basket Hanger w/Wreath Kit

SPECIFICATIONS

Construction: Galvanized steel, 4 swivel-locking casters
Capacity: (47) 10-inch hanging baskets
Optional wreath kit holds (54) 24-inch wreaths
Dimensions: 76"w x 34"d x 78"h

OPTIONS

Wreath Kit

Snap Button Design

CIRCULAR DISPLAYS

BD3000

The unique barrel-shaped supports on the new BD3000 are not only attractive, but also functional since they allow for unobstructed shelf space. The adjustable center bench is an added benefit that adds even more merchandising flexibility. Display smaller floral and giftware items with ease on the sturdy, flattened expanded metal surfaces. Standard swivel-locking casters make easy work to move this display around your store.

Circular Display	
Part #	Size
BD3000	32”w x 32”d x 54¾”h

Construction: Galvanized steel
Base Dimensions: 32”w x 32”d x 54¾”h
(adjustable center bench: 16½” to 22½” from base)

CD3000 & CD4000

What’s your best side? Why choose? Showcase your merchandise beautifully from every angle with our circle bench displays. Flattened expanded metal surfaces prevent tips and ensure that smaller items won’t slip through the cracks. Swivel-locking casters ensure easy mobility for optimal merchandising flexibility.

CD4000-S

3-Level Circular Display	
Part #	Size
CD3000	32”w x 32”d x 54”h
CD3000-S	32”w x 32”d x 80"h

4-Level Circular Display	
Part #	Size
CD4000	32”w x 32”d x 55⅜”h
CD4000-S	32”w x 32”d x 80"h

SPECIFICATIONS

Construction: Galvanized steel and expanded metal bench tops.

OPTIONS

Sign Holders

3-sided sign holder

made in USA

CD3000-S

35, 355 & 357 DISPLAY

made in USA

CD3500, CD3550, CD3570

These circular island displays are a paradise for large merchandise. Oversized pots, baskets, garden décor and accessories will fit–and shine! The CD3570 has a 7' diameter base, 5' middle tier and 3' top, which gives you 65 square feet of merchandising opportunity in one display.

Expanded metal surfaces and heavy-duty steel construction also provide the strength to support oversized products. New this season are slightly smaller versions-the CD3550 and the CD3500 and all are available with casters.

35, 355, 357 Display		
Part #	Description	Size
CD3570	357 Circular Island Display	84"w x 84"d x 56¼"h
CD3570-C	357 Circular Island Display w/Casters	84"w x 84"d x 62¼"h
CD3550	355 Circular Island Display	60"w x 60"d x 61"h
CD3550-C	355 Circular Island Display w/Casters	60"w x 60"d x 67"h
CD3500	35 Circular Island Display	60"w x 60"d x 38"h
CD3500-C	35 Circular Island Display w/Casters	60"w x 60"d x 44"h

SPECIFICATIONS

Construction: Galvanized steel and expanded metal bench tops.

CD3570-C

The CD3570 offers 65 total square feet of surface area to merchandise

CD3550-C

CD3500-C

Please call **800-852-3443** for additional sizes, configurations, and pricing.

PALLET BRIDGE

PB3000 with sign panels

PB3000

Our new pallet bridge display provides an elegant solution to cross-merchandise products that are complementary to your palletized goods. Graphic panels (not included) simply slide into the side supports while mounting holes on the tray face easily accept most types of rigid signage panels. The galvanized steel frame fits over most standard pallets and the upper tray features flattened expanded metal to hold large and small products.

Pallet Bridge	
Part #	Size
PB3000	48”w x 21½”d x 48”h

SPECIFICATIONS

Construction: Galvanized steel
Dimensions: 48”w x 21½”d x 48”h
Signage: Up to 6 mm thick – Call for pricing

PB3000 without sign panels

PALLET SIGN HOLDERS

Our new pallet sign stands are perfect for pallets of your taller merchandise. Park your pallet on the large base plate and rest assured it won’t tip over in the wind. 2-sided industry standard 11” x 7” sign holders provide great visibility for your customers.

SPECIFICATIONS

Construction: Galvanized steel
Dimensions: GCS250 – 66” clearance w/ 11” x 7” 2-sided sign holder
GCS251 – 36” clearance w/ 11” x 7” 2-sided sign holder
GCS252 – 67” clearance w/ 11” x 7” 2-sided sign holder
GCS253 – 12” clearance w/ 11” x 7” 1-sided sign holder

Pallet Signs	
Part #	Description
GCS250	66” clearance curved post
GCS251	36” clearance straight post
GCS252	67” clearance straight post
GCS503	12” clearance straight post

GCS503

GARDEN CENTER SIGN HOLDERS

Our durable, galvanized steel sign holders will accommodate standard industry sign sizes and come in a wide array of attachment options, including stands, table tops, clips, and more.

Track Sign Holder

This 72" sign holder can be mounted to just about any display or bedding plant table and accepts most 7" x 5" and 11" x 7" signage.

72" x 7" Track Sign Holder (FB3028)
72" x 5" Track Sign Holder (FB3029)

EZ Sign Holder

Quickly attaches to any of our bench tops.

7" x 5" card size box of 25 (GCS2000)

11" x 7" card size box of 25 (GCS2050)

EZ Track Sign Holder

70" x 4" Sign Holder (FB3047)
46" x 4" Sign Holder (FB3046)



12" Sign Holder with base

7" x 5" card size box of 25 (GCS1010)
11" x 7" card size box of 25 (GCS1050)



Sign Holder Base

For 18" & 30" signs box of 25 (GCS1310)

18" Sign Holder without base

5" x 4" card size box of 25 (GCS1170)

7" x 5" card size box of 25 (GCS1180)

11" x 7" card size box of 25 (GCS1190)

30" Sign Holder without base

7" x 5" card size box of 25 (GCS1210)

11" x 7" card size box of 25 (GCS1260)

Clip Sign

7" x 5" card size box of 25 (GCS3030)

11" x 7" card size box of 25 (GCS3020)

Double-Face Sign Holder

11" x 7" card size box of 25 (GCS1300)

Table Top Sign Holder

7" x 5" card size box of 25 (GCS1110
11" x 7" card size box of 25 (GCS1160)

White Vinyl Sign Cards

5" x 4" pack of 25 (GCS137)

7" x 5" pack of 25 (GCS136)

11" x 7" pack of 25 (GCS141)

China Markers

Black, pack of 12 (GCS146)

Please call **800-852-3443** for additional sizes, configurations, and pricing.

BENCH TOPS

For use with Poly-Tex displays and greenhouses

Standard & Expanded Metal Bench Tops

Our galvanized steel bench tops give a sleek presentation to any structure and they are definitely built to last. Purchase individually in standard sizes or purchase a higher quantity for custom size options.

Part #	Description
RF2545	12" x 6' roll-form bench top
RF2554	18" x 6' roll-form bench top
RF2555	23" x 6' roll-form bench top
RF2552	36" x 6' roll-form bench top
FK1004	12" x 6' expanded metal bench top
FK1000	18" x 6' expanded metal bench top
FK1003	23" x 6' expanded metal bench top
FK1002	36" x 6' expanded metal bench top

Expanded Metal Retrofit Kit

Transform your standard 6' roll-form bench top into a display surface suited for smaller plants, gift items, or gardening products. Kit includes expanded metal cut to size, two trim strips and six self-drilling screws.

From this...

to this in just minutes!

Part #	Description
FK4000	12" x 6' expanded metal kit
FK4004	18" x 6' expanded metal kit
FK4008	23" x 6' expanded metal kit
FK4012	36" x 6' expanded metal kit

STAND-ALONE BENCH TOPS

For creating your own displays

Great for overflow stock or as a temporary shelving solution! These sturdy, expanded metal bench tops come in either 20" or 40" deep by 72" or 94" wide sizes for a multitude of uses. Mix and match to create different looks and tiered merchandising. Galvanized steel for years of use!

Stand-Alone Bench Tops 20"	
Part #	Description
BD1004	Galvanized Bench Top 20" x 72"
BD1005	Galvanized Bench Top 20" x 94"

Stand-Alone Bench Tops 40"	
Part #	Description
BD1007	Galvanized Bench Top 40" x 72"
BD1006	Galvanized Bench Top 40" x 94"

PLASTIC TOP BENCH

Grow and display on our new galvanized steel bench with plastic grid top! Perfect for watering and easy to clean, the Dura-Bench® Ultra plastic grid top lets water and debris through. Heavy-duty galvanized steel frame resists rust while giving excellent support for your trays, flats, or potted plants.

BD3126

BD3042



Bench Configurations	
Part #	Size*
BD3042	4'L x 2'W x 32.5"H
BD3044	4'L x 4'W x 32.5"H
BD3082	8'L x 2'W x 32.5'H
BD3083	8'L x 3'W x 32.5"H
BD3084	8'L x 4'W x 32.5"H
BD3085	8'L x 5'W x 32.5"H
BD3086	8'L x 6'W x 32.5"H
BD3123	12'L x 3'W x 32.5"H
BD3124	12'L x 4'W x 32.5"H
BD3125	12'L x 5'W x 32.5"H
BD3126	12'L x 6'W x 32.5"H

Replacement Dura-Bench® Ultra Bench Tops	
Part #	Size*
BD1040	Plastic Panel 2' x 4'
BD1043	Plastic Panel 3' x 4'
BD3006	6-Pack Plastic Panels 2' x 4' with 20 Locking Clips
BD1042	Plastic Panel Locking Clip

SPECIFICATIONS

Construction: Galvanized Steel Frame and Dura-Bench® Ultra Plastic Greenhouse Bench Top

*Nominal sizes. Please check website for exact measurements.

Just need Bench Tops?
Stand alone expanded metal bench tops available in several standard sizes.
see page 32



W-TRUSS

It's hard to improve on our most popular shade structure, but we've done it again. The W-Truss now comes with the original flat roof option and a new peaked roof style!

Shade structures are one of the most economical ways to keep customers and products out of the blazing sun. Mix and match flat roof sides with a peaked canopy entryway for maximum customer comfort and visual appeal to the front or side entrance to your brick and mortar store. Freestanding 20' wide canopy sections can be connected for multiple peaks or linked together in a row to cover larger spaces. Call a customer representative today to find a configuration that matches your needs!

W-Truss Standard Packages Include:

3" x 3" Sq. 12 ga. vertical posts with 7" x 7" base plates in 20' x 20' blocks, expansion anchor bolts, 20' galvanized truss members, knitted shade cloth with taped edges and grommets, 10" canopy ball bungee every 18", fittings, hardware, and assembly instructions

SPECIFICATIONS

Standard W-Truss

Width/Lengths: 20' x 20' blocks standard, custom trusses available

Anchors: Concrete expansion anchors 1/2" x 4.5"

Vertical posts: 3" x 3" x 13', 12', 11' or 10' galvanized steel with welded base plates

Shade Support: (1) Diagonal cable system per 20' x 20' block

Truss: 2" x 2" square top and bottom chords, galvanized webbing

Cover: 30–90% shade cloth



Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443

For more information and pricing visit **www.poly-tex.com**

SPECIFICATIONS

Peaked W-Truss



Width/Lengths: 20’ x 20’ blocks

Roof Pitch: 5/12 roof pitch

Cover: 30–90% shade cloth

Anchors: Concrete expansion anchors

Vertical posts: 3” x 3” x 13’, 12', 11', or 10' galvanized steel with welded base plates

Truss: 2” x 2” square top and bottom chords, galvanized webbing



Peaked W-Truss Standard Packages Include:

3” x 3” Sq. 12 ga. vertical posts with 7” x 7” base plates in 20’ x 20’ blocks, expansion anchor bolts, 20’ galvanized truss members (5/12 roof pitch), knitted shade cloth with taped edges and grommets, 10” canopy ball bungee every 18”, fittings, hardware, and assembly instructions

SUNSTOPPER

Retailers and growers alike will benefit from the sun and wind protection provided by the Sunstopper. It's a wonderful example of how strength and convenience come together to provide you with added value. By utilizing 2½" O.D. 12 gauge galvanized steel (when others use just 1.66"), and by attaching shade panels with 10" bungee balls, you are assured of both stability and quick assembly. While standard sizes offer an economical option, we're happy to help you customize the Sunstopper for your individual layout needs.



SPECIFICATIONS

Width/Lengths: 20' x 20' blocks (custom sizes available)

Anchors: ground stands or optional base plates with concrete anchor bolts

Vertical posts: 2½" O.D. 12 ga. x 10' galvanized steel

Horizontal supports: 2½" O.D. 12 ga. x 20' galvanized steel

Cover: 30–90% shade cloth

made in USA

OPTIONS



Layout Assistance: We can design a shade structure that accommodates your specific location needs



Base Plate with Concrete Anchor Bolts: Firmly secure your structure

51% LARGER TUBING!

The Sunstopper is built to last with tough 2½" O.D. 12 gauge galvanized steel tubing. That's 51% LARGER than what most manufacturers use. Get a better product for your investment with the Sunstopper.



Sunstopper Standard Packages Include:
2 ½" O.D. 12 ga. x 10' vertical posts with base plates in 20' x 20' blocks, 2 ½" O.D. 12 ga. x 20' galvanized horizontal members, 60% black knitted shade cloth with taped edges and grommets, 10" canopy ball bungee every 18", diagonal cable shade panel support (1) per 20' x 20' block, fittings, hardware, and assembly instructions.

SUN SHADOW

Keep it cool for less with our Sun Shadow shade structure. This economical solution offers you easy assembly and modular design without sacrificing our durable galvanized steel construction. The extended base plate allows for the use of pallet products as your anchoring system and helps you avoid parking lot damage. With the Sun Shadow, you'll protect your products and improve your customer's experience easily and economically. Sometimes less really is more!



SPECIFICATIONS

Width/Lengths: 20' x 20' blocks (custom sizes available)

Frame: 2" O.D. 14 ga. galvanized steel tubing

Cover: 30–90% black shade cloth (standard package)

Anchoring: Base plates, extended ballast base plates, or ground stands

made in USA

Sun Shadow Standard Packages Include:
2" O.D. 14 ga. x 10' vertical posts with extended ballast base plates, 2" O.D. 14 ga. x 20' galvanized horizontal members in 20' x 20' blocks, diagonal corner structural bracing, 60% black knitted shade cloth with taped edges and grommets, 10" canopy ball bungee every 18", diagonal cable system shade support (1) per 20' x 20' block, fittings, hardware, and assembly instructions.

OPTIONS



Layout Assistance: We can design a shade structure that accommodates your specific location needs

Extended Base Plate
For ballast anchoring

Base Plate with Concrete Anchor Bolts:
For concrete anchoring

Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443

VERTEX SHADE SYSTEM

The first structure in our Vertex line, this simple, stylish shade house lets you make a statement and show your colors. The easy snap button frame and bungee shade attachments will have you in the shade in no time. With just over 7' of sidewall clearance and 13' to the peak, the Vertex will give you shade while keeping that open air feeling.



SPECIFICATIONS

Width: 20'
Length: Starting at 10' with increments of 10'
Sidewall Height: 7' 4"
Height to Apex: 13' 1"
Frame: 2" O.D. 14ga. galvanized steel tube
Cover: Knitted shade cloth with taped edges and grommets*
Anchoring: Extended base plates

*Different colors and percentages of shade cloth available
Call for Pricing

Support view

Peak view

Optional front Gable panel

Vertex Shade	
Part #	Description
VX2010-B60	20 x 10 Blue 60%
VX2010-G60	20 x 10 Green 60%
VX2010-K60	20 x 10 Black 60%
VX2020-B60	20 x 20 Blue 60%
VX2020-G60	20 x 20 Green 60%
VX2020-K60	20 x 20 Black 60%
VX2030-B60	20 x 30 Blue 60%
VX2030-G60	20 x 30 Green 60%
VX2030-K60	20 x 30 Black 60%
VX2040-B60	20 x 40 Blue 60%
VX2040-G60	20 x 40 Green 60%
VX2040-K60	20 x 40 Black 60%

Vertex Shade Standard Packages Include:
2" O.D.. 14ga. galvanized snap button frames on 10' centers, diagonal struts in corners, 2" O.D. 14ga. galvanized ridge purlin, knitted shade cloth with taped edges and grommets, 10" canopy ball bungee every 18", extended base plates, spikes, assembly hardware and setup manual.

Optional Gable End Package includes:
Galvanized horizontal support, 1 gable peak shade, attachment hardware.

Call for Additional Sizes, Colors, and Pricing Information.

SHADE CLOTH

One order of shade, just the way you like it. At Poly-Tex, we are happy to work with you to get your shade cloth in the size you need it, and we can finish the edges for you to save time, or let you do that yourself to save money. Work with one of our staff to get the right color and size for your space.

Knitted shade cloth per sq. ft. (includes seaming)	
Description	**Part #**
30% black	SH1004
40% black	SH1007
50% black	SH1003
60% black	SH1000
70% black	SH1002
80% black	SH1010
90% black	SH1006
40% white	SH1005
50% white	SH1001
60% green	PL1199
30% Aluminet	SH1008
40% Aluminet	SH1014
50% Aluminet	SH1026
60% Aluminet	PL1195
70% Aluminet	SH1017
50% red	SH1030
60% blue	SH1018
70% decorative brown (tan)	SH1015
#4 Brass Grommet	NB1920

Knitted shade cloth per sq. ft. (includes edge taping and grommets every 18")	
Description	**Part #**
30% black	SH5030
40% black	SH5040
50% black	SH5050
60% black	SH5060
70% black	SH5070
80% black	SH5080
90% black	SH5090
40% white	SH5040W
50% white	SH5050W
60% green	SH5060G
30% Aluminet	SH5030-AL
40% Aluminet	SH5040-AL
50% Aluminet	SH5050-AL
60% Aluminet	SH5060-AL
70% Aluminet	SH5070-AL
50% red	SH5050R
60% blue	SH5060B
70% decorative brown (tan)	SH5075T
Small order fee on each shade cloth panel under 400 sq. ft. Non-standard sizes are non-refundable. FOB Castle Rock, MN or Janesville, WI	

Please call 800-852-3443 for assistance with your order!

Shade Structures

Several styles and sizes for the perfect fit!



Variety of Shade Cloth

Choose colors and shade percentages to suit your individual needs.

Easy Bungee Attachment

Quickly attach or remove shade cloth from your structures.

Shark Bite

Once your cloth gets bitten by the shark, it won't get free. The Shark Bite will grab onto almost any fabric, netting, film, or substrate. Vicious little devils—but in a good way.

Shark Bite
PT2300

Taped Edges & Grommets

Heavy-duty taped edges and brass grommets save you installation time so you can get covered, quick.

10" Bungee Ball

For finished edge shade cloth the bungee ball offers the simplest and least expensive way of attachment.

10" Bungee Ball
PT2521



XA-24

Good news! We've expanded and refined our line of XA Greenhouses. Two different widths (24', and 30'), stronger frames, taller side walls and more clearance under the peaks! The XA-24 is the new kid on the block but still boasts maximum natural ventilation, and an abundance of options to fit your needs and budget.

FEATURES

Optimal Ventilation: The thermostatically controlled Poly-Vent® ridge and side wall ventilation system provides maximum circulation

Connection Options: Assemble as a freestanding structure or gutter-connect to other XA-24s

Finishing Options: Purchase the frame only or select a complete package, which includes everything required for turn-key operations

Covering: Long-lasting polycarbonate structured sheeting

Custom Configuration: Work with our experienced sales team to assemble the appropriate heating, cooling, doors, and environmental systems for your needs

Galvanized Steel Frame: Constructed of 2.5" O.D. 12 gauge galvanized steel, this durable structure holds up to years of extreme elements

Poly-Vent®

Ridge and sidewall vents run the entire length of this structure, promoting natural air flow and reducing expensive electrical bills.



SPECIFICATIONS

Width: 24'
Length: starting at 24' with increments of 4'
Sidewall Height: 8'
Height to Apex: 18'- 7"
Frame Spacing: 4' or 6'
Truss Height: Approximately 10'- 2"
Truss System: 5-part truss made of 1" and 1.66" galvanized tube
Frame: 2.5" O.D. 12 ga. galvanized steel tube
Purlin: (3) runs of 1.315" O.D. 17 ga. galvanized steel tube

OPTIONS

Choice of Polycarbonate Structured Sheeting: Work with sales staff to select the appropriate sheeting for your needs

Door Selection: Sliding or swinging doors available in single or double widths; starting size is 3' x 6'- 8" but several sizes are available

Bench Systems: Choose from a wide range of retail or stationary growing benches

Ventilation Options: Poly-Vent side vents, Slide-Side Ventilation, HAF fans, and Roll-up side curtains. **See pages 50 - 52.**

Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443

EXPANSION MANSION

When you're a new grower, you've got to start somewhere, and our economical Expansion Mansion makes that easy to do! If you're an established grower you'll enjoy the simplicity of upgrading and expanding as your needs evolve with this highly versatile structure.

The Expansion Mansion provides you with loads of feature selections—like poly film or polycarbonate sheeting and a wide range of environmental systems. So whether you're new or established, you'll certainly benefit from a structure that gets you started and keeps you going for years.

FEATURES

Economical Advantage: One of the most economical growing structures for its class, this structure delivers quality and affordability

Optimal Ventilation: The thermostatically controlled side wall ventilation system provides maximum circulation

Connection Options: Assemble as a freestanding structure, or gutter-connect to other Expansion Mansions

Finishing Options: Purchase the frame only or select a complete package, which includes everything required for turn-key operations

Choice of Covering: Choose from double polyethylene film or polycarbonate structured sheeting

Custom Configuration: Work with our experienced sales team to assemble the appropriate heating, cooling, doors, and environmental systems for your needs

Galvanized Steel Frame: Constructed of 2" O.D. 14 gauge galvanized steel, this durable structure holds up to years of extreme elements

Poly-Vent®
Sidewall vents run the entire length of this structure, promoting natural air flow and reducing expensive electrical bills.



SPECIFICATIONS

Width: 21′
Length: Starting at 24′ with increments of 4′ or 6′
Sidewall Height: 6′, 7′ or 8′
Height to Apex: 11′- 4″
Frame Spacing: 4′ or 6′
Truss Height: Approximately 8′- 6″
Truss System: 3-part truss made of 1″ and 1.66″ galvanized tube
Frame: 2″ O.D. 14 ga. galvanized steel tube
Purlin: (1) runs of 1.315″ O.D. 17 ga. galvanized steel tube

OPTIONS

Choice of Polycarbonate Structured Sheeting: Work with sales staff to select the appropriate sheeting for your needs

Door Selection: Sliding or swinging doors available in single or double widths; starting size is 3′ x 6′- 8″ but custom sizes are available

Bench Systems: Choose from a wide range of retail or stationary growing benches

Ventilation Options: Poly-Vent side vents, Slide-Side Ventilation, HAF fans, and Roll-up side curtains. **See pages 50 - 52.**

Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443

PT-30

Purchasing a growing structure is a big investment. That's why it's nice when you can utilize your asset in multiple ways. Our PT-30 is a great cold frame, but it's also heavy-duty enough to be used as a year-round growing structure—that's twice as nice. But why stop there? For an added cost you can request a 2' side extension and turn your PT-30 into a high tunnel. It's once, twice, three times the structure with the PT-30.

OUR STRUCTURES ARE JUST STRONGER

Our PT-30 is manufactured with 2" O.D. 14 gauge tubing. That's 20% LARGER than other manufacturers, for greater durability and support where you need it most—the frame. Get a better product for your investment.

SPECIFICATIONS

Width: 30'
Length: Starting at 24' with increments of 4' or 6'
Sidewall Height: 24" sidewall extension (optional)
Frame Spacing: 4' or 6'
Peak Height: 10'- 4"
Truss Height: Approx. 8'
Frame: 2" O.D. 14 ga. galvanized steel
Purlins: (2) runs of 1.163" O.D. 17 ga. and (1) run of 18 ga. roll form


Durable Construction:
2" O.D. 14 gauge galvanized steel bows and three full-length purlins give this structure superior strength
Diagonal Wind Braces:
Additional support helps this structure maintain its integrity in high wind conditions
10'-4" or 12'-4"
8' or 10'
Unique Truss Design:
Three-part truss design makes this structure stronger than others in the marketplace and allows for a variety of uses
30'
Starting at 24' with increments of 4' or 6'
Complete Package Available:
Receive everything you need to assemble on site and be fully operational
Roll-up sidewall vents
A self-locking gearbox allows simple and effective natural ventilation

Frame Only Price Includes: Five-piece bows, diagonal wind braces, ground stakes, assembly hardware, (3) purlin runs and set up manual (End frame verticals are not included)

Standard Package Price Includes: Five-piece bows, diagonal wind braces, ground stakes, assembly hardware, (3) purlin runs and set up manual, three-part truss on every intermediate frame section, roll-form end frame (packages), roll-form side rails, (2) full-length manual roll-up sidewall vents, Wiggle Wire™ poly fastening system, single layer clear poly roof and ends, double swinging end doors (one end)

Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00am until 4:30pm CST.

800-852-3443

OPTIONS

Ventilation: Our 12" HAF fans reduce condensation and improve circulation for improved plant health; **see page 52**

Increased Strength: Truss Kit bolts on to frame-only PT-30 intermediate frame sections for increased durability

End Door Options: Choose from 6' x 6'- 8" double swinging, or sliding door packages, or opt for 3' x 6'- 8" single swinging door package

End Frame Finishing:
Heavy-duty, galvanized steel and ready for poly.
No door opening
6' door opening
3' door opening
(door not included)

Side Wall Vents Available: Roll-up sidewall vents with self-locking gear box, ensure natural, simple, and effective ventilation

KOOL HOUSE™

Just because something is inexpensive doesn't mean it has to be cheap. Our focus at Poly-Tex is to make things as economical as possible without sacrificing quality, and the Kool House is a perfect example: it includes diagonal wind braces, heavy-duty construction and all the materials you'll need to complete the structure. No more running to the store for extra wood and parts. Deliver, assemble, enjoy—Kool!

FEATURES

Economical Advantage: The Kool House is built for growth; its modular design makes it easy and affordable to add additional hoops whenever necessary

Finishing Options: Purchase the frame only or select a complete package, which can be custom configured to your specifications

Superior Strength: Heavy-duty construction ensures years of reliability; structure includes sturdy 1.66" O.D. 16 gauge bows and full-length purlins for added durability

Hold Down System: Properly place your structure; ground stakes and driver are included with frame only or complete package orders

Diagonal Wind Braces: Additional support helps this structure maintain its integrity in high wind conditions

OUR STRUCTURES ARE JUST STRONGER

Our Kool House is manufactured with 1.66" O.D. 16 gauge tubing. That's 26% LARGER than other manufacturers, for greater durability and support where you need it most—the frame. Get a better product for your investment.

SPECIFICATIONS

Width: 14', 16', 18', 20'
Length: starting at 16' with increments of 4' or 6'
Height to Apex: half of the width
Frame Spacing: 4' or 6'
Cover: clear or white 6 mil. UVI treated polyethylene
End Wall Cover: clear or white 6 mil. UVI treated polyethylene
Frame: 1.66" O.D. 16 ga. galvanized steel tube
Purlin: (1) 1.163" O.D. 17 ga. galvanized steel tube



Available with Roll-Up Sides

Frame-only price includes: Three-piece bows, diagonal wind braces, ground stakes, ground stake driver, assembly hardware, (1) center purlin run and set up manual. (End frame verticals are not included.)

Standard package price includes: Everything in frame-only price and: Roll-form end frame (packages), roll-form side rails, (2) full-length manual roll-up sidewall vents, Wiggle Wire® poly fastening system, single layer clear poly roof and ends, swinging end door (one end)

OPTIONS

End Frame Options: Galvanized steel end frame comes ready for plastic; choose with or without door; door sizes include: 14' (with 3' x 6'- 8" door frame) or 16', 18', & 20' (with 4' x 6- 8" door frame)

Side Wall Vents Available: Roll-up sidewall vents with self-locking gear box, ensure natural, simple, and effective ventilation

Roof Inflation Kit: Inflate your optional double layer poly for added insulation and improved life span

Ventilation: Our 12" HAF fans reduce condensation and improve circulation for better plant health; **see page 52**

Roof Coverage:
Contact your salesperson for selection information

Shade Cloth:
Give your plants needed relief from the sun, **see page 39** for options

Call Now for Information and Pricing

Our sales team is available Monday-Friday from 8:00 am until 4:30 pm CST.

800-852-3443

FIELDPRO® GOTHIC

Mean, clean and green, that's our motto for the FieldPro high tunnel, whose durable design and multiple width selections let you extend your season in a way that's right for you. Without all of the add-ons or ventilation systems, this structure is straightforward and low-energy. The heavy-duty galvanized frame ensures years of durability and assembles quickly so small farmers, local cultivators, and specialty growers can get growing and keep growing for as long as they need to. Choose from our Frame Only or Standard packages.

GOTHIC STYLE HIGH TUNNEL


Sidewall height 4' or 6'
Height to apex: 12' (20' & 24') 12'-4" (30' models)
Available in 20', 24' & 30' widths
Available with frame spacing of 4' or 6'

Frame Only Price Includes: Five-piece frame sections, ground stakes, (3) purlins, (4) diagonal wind braces, peak bracing, ground stake driver, assembly hardware and a set up manual. Lumber not included.

Standard Package Price Includes: Everything in the frame only price as well as upper and baseboard lumber U-clamps, end-wall lumber mount fittings and hardware, Wiggle Wire™ poly fastening system, single- layer clear poly roof and ends, (2) full-length manual roll-up sidewall vents. Lumber not included

For more information and pricing visit **www.poly-tex.com**

FIELDPRO® GABLE


Sidewall height
4' or 6'
Height to apex:
12' (20' & 24') 12'-4" (30' models)
Available in 20', 24' & 30' widths
Available with frame spacing of 4' or 6'

GABLE STYLE HIGH TUNNEL

SPECIFICATIONS

Width: 20', 24' & 30'

Length: Starting at 16' with increments of 4' or 6'

Sidewall Height: 4' or 6'

Height to Apex: 12' (20' & 24' models), 12'- 4" (30' models)

Frame Spacing: 4' or 6'

Cover: Clear or white 6 mil. UVI treated polyethylene

End Wall Cover: Clear or white 6 mil. UVI treated polyethylene

Frame: 1.66" O.D. 14 ga. galvanized steel tube (20' & 24' models) 2" O.D. 14 ga. galvanized steel tube (30' models)

Purlin: (1) run of 18 ga. roll form, (2) 1.163" O.D. 17ga. galvanized steel tube side purlins

OPTIONS

Complete with Hardware:
Be ready to assemble; purchase your end frame hardware and lumber mounting hardware from us and save yourself a trip to the hardware store

Side Wall Vents Available:
Roll-up Sides feature a self-locking gear box (included in standard package)

Roll-Up Door Kit:
Galvanized steel jamb & header, clear 3-ply reinforced poly door, drive tube, roll-up crank and hardware

FieldPro Roll-Up Door Kits Include: galvanized steel jamb & header, clear 3-ply reinforced poly door, drive tube, 60" roll-up crank and hardware

Please call **800-852-3443** for additional sizes, configurations, and pricing.

4 YEAR warranty

POLY-VENT®

With our Poly-Vent ventilation system you'll have an economical alternative to rack & pinion, and you'll save in a host of other ways, too. Save on electrical bills by reducing the use of large fans, save on heating costs because Poly-Vent's dead air space provides an effective layer of insulation, and reduce your maintenance time with fewer moving parts. Able to accommodate most greenhouse sidewalls, our system provides improved water drainage. Choose from single-stage or two-stage options to provide your product with superior ventilation.



Full-Closed
In the full-closed position, cool air is prevented from entering the greenhouse and the dead air space acts as an insulated wall.

Control Blowers
One or two long-lasting squirrel-cage blowers operate the ventilator regardless of length.

Mix and Match
For maximum sidewall ventilation mix and match single + two-stage stacked systems to any height.

Full-Open
In the full-open position, Poly-Vent allows complete, natural and free movement of outside air into the greenhouse. There are no expensive fans or cooling pads required.

For more information and pricing visit **www.poly-tex.com**

FEATURES

Versatility: Most greenhouses with straight side walls can easily be renovated to accommodate the Poly-Vent system; it can also be used as a ridge vent on most saw-tooth style greenhouses

Longer Life: Unlike more expensive systems, Poly-Vent has very few moving parts, so there is less to wear out or break down

Gradual Air Exposure: Poly-Vent opens slowly from the top to gradually mix colder outer air with warmer greenhouse air, preventing "cold air dump" on fragile plants

Superior Insulation: The tubing air space provides improved insulation compared to a single poly layer, helping to reduce heating costs

Maximum Light Access: When fully open, Poly-Vent allows your plants full access to sunlight for superior growth

POLY-VENT II (Single-stage)

Base Frame Includes: Poly-Vent II, top and bottom 24 gauge galvanized Poly-Vent gutter, galvanized front/rear guides and hardware.

Optional Stacking Frame Includes: Poly-Vent II, top and 24 gauge galvanized Poly-Vent gutter, galvanized front/rear guides and hardware.

End Package Includes: Sheet metal enclosures for both ends of frame, one blower to inflate Poly-Vent II, blower mount, one 3-inch diameter flex tube, air transfer gaskets and all hardware.

Base frame		Stacking frame (optional)	End package
Size	Part #	Part #	Part #
24"	PV7022	PV7122	PV8022
36"	PV7032	PV7132	PV8032
48"	PV7042	PV7142	PV8042
60"	PV7052	PV7152	PV8052

Note: Frame must be purchased in two foot increments. Poly-Vent can be custom cut to any size.

POLY-VENT III (Two-stage)

Base Frame Includes: Poly-Vent III, top and bottom 24 gauge galvanized Poly-Vent gutter, galvanized front/rear guides and hardware.

Optional Stacking Frame Includes: Poly-Vent III, top 24 gauge galvanized Poly-Vent gutter, galvanized front/rear guides and hardware.

End Package Includes: Sheet metal enclosures for both ends of frame, two blowers to inflate Poly-Vent III, blower mounts, two 3-inch diameter flex tubes, air transfer gaskets and all hardware.

Base frame		Stacking frame (optional)	End package
Size	Part #	Part #	Part #
36"	PV7033	PV7133	PV8033
48"	PV7043	PV7143	PV8043
60"	PV7053	PV7153	PV8053

Note: Frame must be purchased in two foot increments. Poly-Vent can be custom cut to any size.

Replacement Poly-Vent Plastic

Size	Poly-Vent II part #	Poly-Vent III part #
24"	PV3500	–
36"	PV3502	PV3532
48"	PV3504	PV3534
60"	PV3506	PV3536

Note: $15 cut charge if less than stock roll. $32 to cut and seal both ends

Poly-Vent Back-Up Blower System

The back-up blower system will keep your Poly-Vent system inflated in the unlikely event of a power outage. Includes adapter plate, control box, DC blower, battery charger w/auto shut off. (12 volt battery is not included.)

Part #	Description
BUBSII	Poly-Vent II back-up blower system
BUBSIII	Poly-Vent III back-up blower system

The Best Thermostat For Your System:

We recommend the Schaefer Mechanical Thermostat for your Poly-Vent system.
This rugged thermostat is code approved and moisture resistant to withstand the greenhouse environment. It features a wide temperature range and narrow operating differential for reliable control.

One-speed heating or cooling RR5003

Two-stage heating or cooling RR5010

REPLACEMENT PARTS

Poly-Vent Blower
PT2448

Blower Mounting Bracket
PT2409

Air Transfer Gasket
PT2436

Flex Tubing
3"x 5' PT2437
3"x 2' PT2443
3"x 25' PT2438

Please call 800-852-3443 for additional sizes, configurations, and pricing.

ROLL-UP SIDE VENTILATION

Retro fit your existing greenhouse, up to 96', with roll-up side ventilation for natural airflow. Roll-up side kit includes: 1.315" tube w/swage (116"), roll-up tube clips, cradles with "S" hook, brackets with "S" hook, roll-up poly curtain, 1/4" polyester rope. Finish your roll-up side with our roll-up end kit that includes: roll-up unit - FLC BS104, gearbox guide, roll-up end panel 24" x 68" 6MIL, guidemounting bracket, roll-up guide chain, 18" spike, fasteners.

Roll-Up Sides	
Part #	Description
N/A	Roll-up Side Kit
RC4010	End Package

Can only be used on structures up to 96'

HAF FANS

Schaefer Plant Air® HAF Circulation Fan

Use these circulation fans to implement Horizontal Air Flow (HAF) patterns throughout the greenhouse. The HAF system places small circulation fans strategically in the greenhouse creating a 'race-track' air flow pattern. This reduces humidity and moisture condensation, improves carbon dioxide availability and equalizes temperature. The Plant Air fan is no-maintenance. The totally enclosed motor never needs oiling and uses heavy-duty moisture resistant bearings for long-life.

12" Plant Air HAF Fan (VK12)

- **Gentle Air Movement**–ideal fan for any crop in any greenhouse
- **Quiet**–only 4.5 sones provide a quiet production or retail environment
- **Small Size**–easy placement, better clearance
- **Maintenance Free**–motor never needs oiling



Suggested placement of Schaefer Plant Air circulation fans in single and multiple greenhouses

POLY FILMS

4 YEAR warranty

We carry a variety of UV-stabilized greenhouse Poly Films to ensure you get the right product for your needs. Poly Films protect your plants for better blooms and brighter colors. They can provide superior insulation for your greenhouse, reduce condensation, or retain infrared rays for increased warmth in your growing structure. Whatever you're looking for, our helpful sales team can assist you in selecting the right poly for your needs.

Available in sheet or tube. Custom cut to any length and no minimum order. Call for volume pricing.

GT–4
6 mil Clear

Features excellent light transmission, long product life and easy installation.

Tube widths (feet)

12	16	20	22	25
14	18	21	24	26

Sheet widths (feet)

12	20	25	36	48
14	21	26	40	50
16	22	28	42	52
18	24	32	44	

GT–55%
6 mil White

Lower greenhouse temperature by reflecting solar heat. Use where cooling is a priority such as orchids or garden centers.

Tube widths (feet)

16	18	20	21	24

Sheet widths (feet)

16	21	36	48
18	24	40	
20	32	42	

GT–IR/AC
6 mil Clear

Provides infrared retention to maintain warmth and anti-fog additives for improved light transmission in colder climates.

Tube widths (feet)

12	16	20	22	25
14	18	21	24	

Sheet widths (feet)

12	20	25	40	50
14	21	28	42	
16	22	32	44	
18	24	36	48	

WIGGLE WIRE®

Imitation is the sincerest form of flattery but don't be fooled by inexpensive, imported spring wire. Look for our trademark Wiggle Wire® brand for the quality that has proven to be a low-cost, effective way to attach polyethylene or shade material to greenhouses. Just install the aluminum base and you can attach multiple layers of polyethylene and/or shade cloth to your structure. Proudly made in the USA.

- **The aluminum base won't rust, and easily bends over most hoop configurations for seamless installation**
- **The stainless steel wire is heavy-duty and will stand up to repeated installations**
- **Install up to three layers of plastic and shade cloth without needing another fastening system**
- **Because of it's high quality and durability our Wiggle Wire® can be reused after the first installation**

Part #	Description
WWBASE78	6'- 6" aluminum Wiggle Wire base track
WIGLWIRE10	6' - stainless steel Wiggle Wire - 10 Pack



Go to www.poly-tex.com to see our new Wiggle Wire bundle packages.

REPLACEMENT PARTS



Preassembled Roof Inflation Kit

Includes Inflation blower, 3"x 2' flex tubing, air transfer gasket, blower mounting bracket

PT2415

2' Jumper Kit

Includes 3" x 2' flex tubing and two of each of the following: air pipe flange and 3.25 hose clamp

PT2416

Self-Locking Gear Box

MV1000

Poly Patch Tape

PT2440 - 4"x 10'

PT2441 - 4"x 48'

Roll-Up Clip

RC1010

Fits 1.315" OD tubing

POLYCARBONATE

Structured & Corrugated Sheeting

Our Polycarbonate possesses an impact strength 200 times greater than glass. Ten times greater than acrylic, it won't crack or split when cut or drilled, and bends over most hoop structures. Choose from 4' or 6' widths, up to 48' in length.



Aluminum "U" profile–20' length
PL1020

"H" profile cap–24' length,
"H" profile base–24' length
PL1010/1012

Aluminum "H" profile 8mm–12' length
PL1018

"H" profile 8mm clear–24' length
PL1000

Description	Part #
8mm clear sheeting–6' width, up to 48' lengths	SS1000
8mm clear sheeting–4' width, up to 48' lengths	SS1001
8mm white sheeting–6' width, up to 48' lengths	SS1002
8mm white sheeting–4' width, up to 48' lengths	SS1003
Corrugated sheeting–50" width, up to 48' lengths	SS2000

Note: Crating charge per lineal foot on longest sheet per order. FOB Janesville, WI

Polycarbonate Accessories	
Install your sheeting correctly with the appropriate fastener.	
"H" profile 8mm clear–24' length	PL1000
"H" profile cap–24' length	PL1012
"H" profile base–24' length	PL1010
Aluminum "U" profile–20' length	PL1020
Aluminum "H" profile 8mm–12' length	PL1018
Foil Tape 1" x 50 yards	RR2439
#12 x 1" self-drilling screws	NB1804
#12 x 1½" self-drilling screws	NB1805
#10 x 1½" wood-mate screws	NB1807
#14 x ¾" self-drilling screw	NB1806
1" neoprene bonded washers	NB1869

ORDER INFORMATION

Terms and Conditions

Payment
Payment for merchandise will be made by the following methods: Check, American Express, MasterCard, VISA, Discover or cash. If you would like to establish terms with us, please give us a call or visit our website for a credit application.

Discounts
We offer a 2% discount on cash or approved check orders. Full payment must be received at time order is placed. Cash discount does not apply to credit card purchases.

Pricing
All prices are subject to change without notice. Prices maybe subject to state sales tax. Pricing is quoted as F.O.B. shipping point unless noted otherwise. Please confirm pricing when placing an order with one of our sales representatives.

Delivery
We will ship your order the most efficient and economical way possible. Poly-Tex cannot be held responsible for any delay, loss or damage caused by our suppliers/carriers or conditions beyond our control. Poly-Tex relinquishes all responsibility for merchandise once the carrier has accepted the shipment.

Any claim settlements would be between you and the delivering carrier. If needed, we will assist you with your claim. Please inspect your merchandise carefully when you receive it. Any noticeable damage/shortage of packages or pallets must be noted on the Bill of Lading upon delivery. Failure to note damage/shortage on the Bill of Lading before the driver leaves will jeopardize your claim. Concealed or hidden damage must be reported to the shipping company within 15 days of delivery.

Satisfaction
If, for any reason you are not completely satisfied upon the receipt of your order, please call your sales representative at 800-852-3443.

Custom Product
Custom orders such as powder coated (painted) product or special dimension merchandise are not cancellable once production has commenced. “Custom” is defined as any product manufactured or purchased by Poly-Tex that is non-standard. A custom order is considered received by Poly-Tex via a purchase order or signed agreement from the customer.

Change Order
In the event a change order is submitted by the purchaser, a review of the original Purchase Order must commence. The revised purchase order, including any pricing or lead time changes, must be agreed upon by both parties prior to amending the agreement.

Customer Service
Missing parts will be shipped at no charge, at regular freight rates from 30 days of invoice date. If expedited shipping is requested by the customer, these expedited shipping charges are the responsibility of the customer.

Cancellations
Cancelled credit card orders will incur a 3% processing fee.

Building Permits
It is the responsibility of the purchaser to obtain all applicable building permits. Poly-Tex manufactures both code certified and non-certified structures. We advise our customers to research the local requirements prior to purchasing our structures whether they are temporary or permanent installations.

Returns
All returns for credit must have prior approval. The credit granted for such returns, will be based on the invoice value at the time of purchase and will be assessed a 20% restocking charge, except for defective merchandise or unless otherwise authorized. Proof of purchase is required and no returns will be considered 30 days after date of purchase. Customer will be responsible for all cost(s) related to returning product(s) in like-new, sellable condition. No credit will be given on returned product that is damaged. Custom product/project sales are final and are not eligible for return or refund.

Easy Ordering

Call us toll-free US & Canada
800-852-3443
fax 651-463-2479
651-463-7009

Or for more product information, visit our Web site
POLY-TEX.COM
info@poly-tex.com

Billing Address: 1750 - 126th St W, Suite 100
Burnsville, MN 55337

Shipping Address: 27725 Danville Avenue,
Castle Rock, MN 55010

Monday-Friday from 8:00am until 4:30pm CST.

Limited Warranty

Poly-Tex, Inc. warrants its products to be free from defects in material and workmanship for a period of (1) year from date of invoice. This warranty is provided to the original purchaser of the product and is not transferable. Poly-Tex does not warrant product not manufactured by Poly-Tex, but does assign any transferable manufacturer or supplier warranties. Should any defect be found, full repair or replacement will be rendered to the customer following inspection by a Poly-Tex representative and the return of the defective product to our Castle Rock, MN facility. Expenses for removal or reinstallation of defective products will not be covered by the warranty.

Non-code compliance or non-engineered structures purchased by our customers are done so at the customers own risk. Customers shall indemnify Poly-Tex from any liabilities or costs for structural failure or any legal action taken by governing agencies against purchases of non-code compliance structures.

Purchaser will indemnify and hold Poly-Tex and its officers and agents harmless (to the extent provided by law) from and against all loss, liability, cost, damage or expense incident to any claim, action or proceeding against Poly-Tex arising out of the installation, maintenance, use or operation of the products by purchaser.

POLY-TEX SHALL NOT BE HELD RESPONSIBLE FOR ANY SPECIAL OR CONSEQUENTIAL DAMAGES, OR FOR ANY DELAY IN PERFORMANCE OF THIS WARRANTY BEYOND OUR CONTROL. THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES WHETHER IMPLIED, WRITTEN OR ORAL INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

This warranty does not cover damage from customer abuse, misuse, improper installation, customer modifications, customer negligence in performing normal maintenance or damage resulting from acts of nature.

Got a question?

Give us a call and our experienced sales staff can answer your questions. We’ve been designing, building and selling greenhouses and retail displays for over 40 years. We know a lot about what you might be looking for and how best to meet your needs.

POLY-TEX
Greenhouse & Display Systems

1750 -126th St W, Suite 100
Burnsville, MN 55337